

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	0	(saito.in. and (encrypt\$)) same copyright	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:47
L35	0	28 and 16	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 19:01
L13	1	((user or client or consumer) near3 (id or identity or data or information or identification or code or number or identifier)) near3 (reencod\$ or (re near2 encod\$) or reencrypt\$ or (re near2 encrypt\$) and (@pd<"19940930" or @ad<"19940930" or @riad<"19940930" or @prad<"19940930"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:54
L34	1	28 and 14 and 11	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 19:01
L1	2	("6069952").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/24 18:22
L32	4	28 and 7 and 11	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 19:00
L8	9	((second or secondary or different or dissimilar) near4 (reencrypt\$ or (re near2 encrypt\$) or scramb\$) near3 (key)) same ((management or authority or authoriz\$) near3 (center or system or entity or organization)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:32
L5	10	(second or secondary or different or dissimilar) near4 (reencrypt\$ or (re near2 encrypt\$) or scrambs) near3 (key)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:29
L16	16	((user or client or consumer) near3 (id or identity or data or information or identification or code or number or identifier)) same (reencod\$ or (re near2 encod\$) or reencrypt\$ or (re near2 encrypt\$) and (@pd<"19940930" or @ad<"19940930" or @riad<"19940930" or @prad<"19940930"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:52
L10	26	((second or secondary or different or dissimilar) near4 (encrypt\$ or encod\$ or reencod\$ or (re near2 encod\$) or reencrypt\$ or (re near2 encrypt\$) or scramb\$) near3 (key)) same ((management or authority or authoriz\$) near3 (center or system or entity or organization))) and (@pd<"19940930" or @ad<"19940930" or @riad<"19940930" or @prad<"19940930"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:43

L12	26 <i>Apprentice kwic</i>	(user or client or consumer) near3 (id or identity or data or information or identification or code or number or identifier)) near3 (reencod\$ or (re near2 encod\$) or reencrypt\$ or (re near2 encrypt\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:46
L31	30 ↓	3 and 28 and 4 and 7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 19:00
L30	54 ↓	3 and 28 and 4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:57
L9	84 <i>Lyle kwic</i>	((second or secondary or different or dissimilar) near4 (encrypt\$ or encod\$ or reencod\$ or (re near2 encod\$) or reencrypt\$ or (re near2 encrypt\$) or scramb\$) near3 (key)) same (lmanagemnt or authority or authoriz\$) near3 (center or system or entity or organization))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:37
L14	103 ↓	(salto.in. and (encrypt\$)) and copyright	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:47
L26	176	713/191	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:55
L11	177 ↓	((user or client or consumer) near3 (id or identity or data or information or identification or code or number or identifier)) same (reencod\$ or (re near2 encod\$) or reencrypts or (re near2 encrypt\$)).	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:43
L21	214	380/279	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:55
L22	243	380/283	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:55
L24	247	713/180	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:55

L4	361	(first or second or many or plurality or numerous or secondary or reencrypts or (re near2 encrypt\$) or different) near3 (key)) same (lmanagement or authority or authoriz\$) near3 (center or system or entity or organizational)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:27
L17	364	705/50	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:54
L20	412	380/278	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:54
L23	468	713/165	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:55
L19	633	705/57	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:54
L25	873	713/182	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:55
L18	1084	705/51	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:54
L27	1161	713/193	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:56
L29	1946	3 and 28	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:57
L7	3478	(second or secondary or different or dissimilar) near4 (encrypt\$ or encod\$ or reencod\$ or (re near2 encod\$) or reencrypt\$ or (re near2 encrypts) or scramb\$) near3 (key)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:34

L28	4479	17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:56
L3	75870	(first or second or many or plurality or numerous or secondary or reencrypt\$ or (re nearz encrypt\$) or different)near3 (key)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 18:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	454	((use or using) and data and encrypt\$3 and decrypt\$3 and first and second and display\$3 and re-encrypt\$3 and add\$3)	US-PGPUB	OR	ON	2005/07/24 19:19
L37	41 hits 3 Kv12	((use or using) and data and encrypt\$3 and decrypt\$3 and first and second and display\$3 and re-encrypt\$3 and add\$3).clm.	US-PGPUB	OR	ON	2005/07/24 19:22

Interference Search

K.A.